

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Servants - Panchayat Raj and Rural Development Department - Allegations of irregularities in CPWS Scheme to Krishnagiri and 55 other habitations in Kurnool District taken by RWS & S Department against Sri B.N Sreenivasulu the then Superintending Engineer, RWS&S, Kurnool - Departmental proceedings initiated under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 - Article of Charges - Issued.

=====

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 139

Dated:06 .02.2015

Read

ORDER:

It is proposed to hold an inquiry against Sri B.N Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A list of documents by which and list of witnesses, by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri B.N. Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool is directed to submit his written statement of defence within ten (10) days of the receipt of this order.

4. Sri B.N. Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri B.N. Sreenivasulu, the then Superintending Engineer, Kurnool District is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CCA) Rules, 1991 or the order/directions issued in pursuance of the said rules, the Inquiry Authority may hold the inquiry against him ex-parte, based on the material available on record.

6. Sri B.N Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool is invited to Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri B.N Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the A.P. Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged forthwith.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

To

Sri B.N Sreenivasulu, the then Superintending Engineer, RWS&S, Kurnool **through** the Engineer-in-Chief, RWS&S, A.P., Hyderabad.

The Engineer-in-Chief, RWS&S, A.P., Hyderabad (with a request to serve and return the acknowledged copy and W.S.D.).

(Contd.....)

Copy to:

The General Administration (V&E) Department, A.P., BRKR Buildings,
Hyderabad.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE-I

STATEMENT SHOWING THE ARTICLE OF CHARGE FRAMED AGAINST SRI B.N. SREENIVASULU, THE THEN SUPERINTENDING ENGINEER, RWS&S, KURNOOL

CHARGE:-

Sri B. N. Sreenivasulu, while working as Superintending Engineer, RWS&S, Kurnool, has derelicted his legitimate duties by proceeding with execution of the work in Phase I, II & III of the work "CPWS Scheme to Krishnagiri and 55 other habitations in Kurnool district" without obtaining prior permission of Irrigation & Command Area Development Department for drawal of water from Gajuladinne river, for which an amount of Rs.2346.02 lakhs of wasteful expenditure is incurred.

BASIS:

The General Administration (V&E) Department, vide their Alert Note No.76 (449/V&E/E2/2012), dt. 10.07.2012, have reported that Sri B.N Sreenivasulu, while working as then superintending engineer, RWS&S, Kurnool, has proceeded with execution of the work in Phase I and II without obtaining permission of Irrigation & Command Area Development Department for drawal of water from Gajuladinne river, thereby an amount of Rs.2346.02 lakhs expenditure was incurred which was wasteful. From this, it is evident that he discharged his legitimate duties with gross negligence and violated Rule 3 of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

Hence the charge.

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE-II

**LIST OF THE DOCUMENTS BY WHICH THE ARTICLE OF CHARGE
FRAMED AGAINST SRI B.N SREENIVASULU, THE THEN
SUPERINTENDING ENGINEER, RWS&S, KURNOOL IS PROPOSED TO
BE SUSTAINED.**

From the G.A.(V&E) Dept., Alert Note No.76 (449/V&E/E2/2012), dt.
10.07.2012.

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE-III

**LIST OF THE WITNESSESS BY WHOM THE ARTICLE OF CHARGE
FRAMED AGAINST SRI B.N SREENIVASULU, THE THEN
SUPERINTENDING ENGINEER, RWS&S, KURNOOL IS PROPOSED TO
BE SUSTAINED.**

-NIL-

Dr.K.S.JAWAHAR REDDY
SECRETARY TO GOVERNMENT

SECTION OFFICER